

# Identity Based Undeniable Signatures

Benoît Libert

Jean-Jacques Quisquater

UCL Crypto Group

Place du Levant, 3. B-1348 Louvain-La-Neuve. Belgium

{libert,jjq}@dice.ucl.ac.be — <http://www.uclcrypto.org/>

**Abstract.** In this paper, we give a first example of identity based undeniable signature using pairings over elliptic curves. We extend to the identity based setting the security model for the notions of invisibility and anonymity given by Galbraith and Mao in 2003 and we prove that our scheme is existentially unforgeable under the Bilinear Diffie-Hellman assumption in the random oracle model. We also prove that it has the invisibility property under the Decisional Bilinear Diffie-Hellman assumption and we discuss about the efficiency of the scheme.

**Keywords.** ID-based cryptography, undeniable signatures, pairings, provable security.

## 1 Introduction

Identity based public key cryptography is a paradigm proposed by Shamir in 1984 ([37]) to simplify key management and remove the necessity of public key certificates. To achieve this, the trick is to let the user's public key be an information identifying him in a non ambiguous way (e-mail address, IP address, social security number...). The removal of certificates allows avoiding the trust problems encountered in today's public key infrastructures (PKIs). This kind of cryptosystem involves trusted authorities called private key generators (PKG) that have to deliver private keys to users after having computed them from their identity information (users do not generate their key pairs themselves) and from a master secret key. End-users do not have to enquire for a certificate for their public key. Although certificates are not completely removed (the PKG's public key still has to be certified since it is involved in each encryption or signature verification operation), their use is drastically reduced since many users depend on the same authority. Several practical identity based signature schemes (IBS) have appeared since 1984 ([23],[17],[36]) but a practical identity based encryption scheme (IBE) was only found in 2001 ([4]) by Boneh and Franklin who took advantage of the properties of suitable bilinear maps (the Weil or Tate pairing) over supersingular elliptic curves. Many other identity based primitives based on pairings were proposed after 2001: digital signatures, authenticated key exchange, non-interactive key agreement, blind and ring signatures, sign-cryption, . . . ([7],[9],[15],[25],[32],[38],[39],. . .).

Undeniable signatures are a concept introduced by Chaum and van Antwerpen in 1989 ([10]). It is a kind of signatures that cannot be verified without

interacting with the signer. They are useful in situations where the validity of a signature must not be universally verifiable. For example, a software vendor might want to embed signatures into his products and allow only paying customers to check the authenticity of these products. If the vendor actually signed a message, he must be able to convince the customer of this fact using a confirmation protocol and, if he did not, he must also be able to convince the customer that he is not the signer with a denial protocol. These proofs have to be non-transferable: once a verifier is convinced that the vendor did or did not sign a message, he should be unable to transmit this conviction to a third party.

In some applications, a signer needs to decide not only when but also by whom his signatures can be verified. For example a voting center can give a voter a proof that his vote was counted without letting him the opportunity to convince someone else of his vote. That is the motivation of designated verifier proofs for undeniable signatures. This kind of proof involves the verifier's public key in such a way that he is not able to convince a third party that a signer actually signed a message or not because he is able to produce such a valid proof himself using his private key. Several proof systems were proposed for undeniable signatures ([18],[26],[33],...). The use of non-transferable designated verifier proofs ([26]) can provide non-interactive confirmation and denial protocols.

Several examples of undeniable signature schemes based on discrete logarithm were proposed ([10],[11],[12]) and the original construction of Chaum and van Antwerpen ([10]) was proven secure in 2001 by Okamoto and Pointcheval ([31]) thanks to new kind computational assumptions. Several convertible<sup>1</sup> undeniable signatures were proposed ([6],[16],[29],...). RSA-based undeniable signatures were designed by Gennaro, Krawczyk and Rabin ([21]) and Galbraith, Mao and Paterson ([19]). However, no secure identity based undeniable signature has been proposed so far. A solution was proposed in [24] but it was shown in [40] to be insecure. In this paper, we show how bilinear maps over elliptic curves can provide such a provably secure scheme. It is known ([30]) that an undeniable signature can be built from any public key encryption scheme and a similar result is likely to hold in the ID-based setting. However, the scheme described here can offer a security that is more tightly related to some computational problem than a scheme derived from the Boneh-Franklin IBE ([4]).

Chaum, van Heijst and Pfitzmann introduced the notion of 'invisibility' for undeniable signatures. Intuitively, it corresponds to the inability for a distinguisher to decide whether a message-signature pair is valid for a given user or not. The RSA-based schemes described in [19] and [21] do not provide invisibility. In [20], Galbraith and Mao describe a new RSA-based undeniable signature that provides invisibility under the so-called composite decision Diffie-Hellman assumption and they show that invisibility and anonymity<sup>2</sup> are essentially equivalent security notions for undeniable signature schemes satisfying some particular

---

<sup>1</sup> See [6]. Convertible undeniable signatures are undeniable signatures that can be converted by the signer into universally verifiable signatures.

<sup>2</sup> This security notion is related to the inability for an adversary to decide which user generated a particular message-signature pair in a multi-user setting.

conditions. In this paper, we extend these two security notions to the identity based setting and we prove in the random oracle model that our scheme is both existentially unforgeable and invisible under some reasonable computational assumptions. Invisibility and anonymity can also be shown to be equivalent in the context of identity based cryptography and we will not do it here.

In section 2, we first recall the properties of pairings over elliptic curves before formally describing security notions related to identity based undeniable signatures. In section 3, we describe the different components of our scheme. We then show their correctness and we discuss about their efficiency. The rest of the paper is made of a security analysis of the scheme in the random oracle model.

## 2 Preliminaries

### 2.1 Overview of pairings and bilinear problems

Let us consider groups  $\mathbb{G}_1$  and  $\mathbb{G}_2$  of the same prime order  $q$ . We need a bilinear map  $\hat{e} : \mathbb{G}_1 \times \mathbb{G}_1 \rightarrow \mathbb{G}_2$  satisfying the following properties:

1. Bilinearity:  $\forall P, Q \in \mathbb{G}_1, \forall a, b \in \mathbb{Z}_q$ , we have  $\hat{e}(aP, bQ) = \hat{e}(P, Q)^{ab}$ .
2. Non-degeneracy: for any  $P \in \mathbb{G}_1$ ,  $\hat{e}(P, Q) = 1$  for all  $Q \in \mathbb{G}_1$  iff  $P = \mathcal{O}$ .
3. Computability: some efficient algorithm can compute  $\hat{e}(P, Q) \forall P, Q \in \mathbb{G}_1$ .

Typical admissible bilinear maps are obtained from a modification of the Weil pairing (see [4]) or from the Tate pairing (the original Weil pairing is defined over a non-cyclic group, see [4] for details). The security of the schemes described in this paper relies on the hardness of the following problems.

**Definition 1.** Given groups  $\mathbb{G}_1$  and  $\mathbb{G}_2$  of prime order  $q$ , a bilinear map  $\hat{e} : \mathbb{G}_1 \times \mathbb{G}_1 \rightarrow \mathbb{G}_2$  and a generator  $P$  of  $\mathbb{G}_1$ ,

- the **Bilinear Diffie-Hellman problem (BDH)** in  $(\mathbb{G}_1, \mathbb{G}_2, \hat{e})$  is to compute  $\hat{e}(P, P)^{abc}$  given  $(P, aP, bP, cP)$ .
- The **Decisional Bilinear Diffie-Hellman problem (DBDH)** is, given  $(P, aP, bP, cP)$  and  $z \in \mathbb{G}_2$ , to decide whether  $z = \hat{e}(P, P)^{abc}$  or not. The advantage of a distinguisher  $\mathcal{D}$  for the DBDH problem is defined as

$$\text{Adv}(\mathcal{D}) = \left| Pr_{a,b,c \in \mathbb{Z}_q, h \in \mathbb{G}_2} [1 \leftarrow \mathcal{D}(aP, bP, cP, h)] - Pr_{a,b,c \in \mathbb{Z}_q} [1 \leftarrow \mathcal{D}(aP, bP, cP, \hat{e}(P, P)^{abc})] \right|.$$

- The **Gap Bilinear Diffie Hellman problem** is to solve a given instance  $(P, aP, bP, cP)$  of the BDH problem with the help of a DBDH oracle that is able to decide whether a tuple  $(P, a'P, b'P, c'P, z)$  is such that  $z = \hat{e}(P, P)^{a'b'c'}$  or not. Such tuples will be called DBDH tuples.

The DBDH problem was introduced in [13] where it is shown to be not harder than the decisional Diffie-Hellman problem in  $\mathbb{G}_2$ . It is not known whether the Bilinear Diffie-Hellman problem is strictly easier than the computational Diffie-Hellman problem in  $\mathbb{G}_1$  or not. It is also an open question whether the DBDH problem is strictly easier than the BDH one (although it is obviously not harder). Nevertheless, no probabilistic polynomial time algorithm is known to solve any of them with a non-negligible advantage so far.

## 2.2 Identity based undeniable signatures

An identity based undeniable signature is made of three algorithms and two possibly interactive protocols.

**Setup:** the PKG takes as input a security parameter  $k$  and produces a public/private key pair  $(s, P_{pub})$  and the system's public parameters **params**.  $s$  is the system's master key and  $P_{pub}$  is the PKG's public key that must be certified.

**Keygen:** given a user's identity  $ID$ , the PKG uses its master secret key  $s$  to compute the corresponding private key  $d_{ID}$  and transmit it to the user through a secure channel.

**Sign:** given a message  $M \in \{0, 1\}^*$  and his private key  $d_{ID}$ , the user generates a signature  $\sigma$  associated to  $M$  for his identity  $ID$ .

**Confirm:** is a protocol between a signer and a (possibly designated) verifier that takes as input a message  $M \in \{0, 1\}^*$ , an identity  $ID \in \{0, 1\}^*$ , the associated private key  $d_{ID}$  and a valid signature  $\sigma$  for the pair  $(M, ID)$ . The output of the protocol is a (possibly non-interactive) non-transferable proof that  $\sigma$  is actually a valid signature on  $M$  for the identity  $ID$ .

**Deny:** takes as input an invalid signature  $\sigma$  for a given pair  $(M, ID)$  and the private key  $d_{ID}$  corresponding to  $ID$ . Its output is a proof that  $\sigma$  is not a valid signature for a message  $M$  and an identity  $ID$ .

Confirm and Deny may be a single protocol. In our scheme, they are distinct.

## 2.3 Security notions for identity based undeniable signatures

The first security notion for ID-based undeniable signature is close to the one for other existing identity based signatures: it is the notion of existential unforgeability under chosen-message attacks.

**Definition 2.** *An identity based undeniable signature scheme is said to be **existentially unforgeable** under chosen-message attacks if no probabilistic polynomial time (PPT) adversary has a non-negligible advantage in this game:*

1. *The challenger runs the setup algorithm to generate the system's parameters and sends them to the adversary.*
2. *The adversary  $\mathcal{F}$  performs a series of queries:*
  - *Key extraction queries:  $\mathcal{F}$  produces an identity  $ID$  and receives the private key  $d_{ID}$  corresponding to  $ID$ .*
  - *Signature queries:  $\mathcal{F}$  produces a message  $M$  and an identity  $ID$  and receives a signature on  $M$  that was generated by the signature oracle using the private key corresponding to the public key  $ID$ .*
  - *Confirmation/denial queries:  $\mathcal{F}$  produces a pair message-signature  $(M, \sigma)$  and an identity  $ID$  and gives them to the signature oracle that runs the confirmation/denial protocol to convince  $\mathcal{F}$  that  $\sigma$  is actually related to  $M$  and  $ID$  or that it is not (in a non-transferable way) using the private key  $d_{ID}$  corresponding to  $ID$ .*

3. After a polynomial number of queries,  $\mathcal{F}$  produces a tuple  $(ID, M, \sigma)$  made of an identity  $ID$ , whose corresponding private key was not asked to the challenger during stage 2, and a message-signature pair  $(M, \sigma)$  that was not issued by the signature oracle during stage 2 for the identity  $ID$ .

The forger  $\mathcal{F}$  wins the game if it is able to provide a non-transferable proof of validity of the signature  $\sigma$  for message  $M$  and identity  $ID$ . Its advantage is defined to be its probability of success taken over the coin-flippings of the challenger and  $\mathcal{F}$ .

A second security notion, introduced by Chaum, van Heijst and Pfitzmann ([12]), is called 'invisibility'. Informally, this notion corresponds to the inability for a dishonest verifier to decide whether a given signature on a given message was issued by some signer even after having observed several executions of confirmation/denial protocols by the same signer for other signatures. Galbraith and Mao ([20]) proposed a general definition for this security notion. In the identity based setting, we need to strengthen it a little to consider the fact that a dishonest user might be in possession of private keys associated to other identities before trying to validate or invalidate an alleged signature on a message for an identity without the help of the alleged signer.

**Definition 3.** An identity based undeniable signature scheme is said to satisfy the **invisibility** property if no PPT distinguisher  $\mathcal{D}$  has a non-negligible advantage against a challenger in the following game:

1. The challenger performs the setup of the scheme and sends the system's public parameters to  $\mathcal{D}$ .
2. The distinguisher  $\mathcal{D}$  performs a polynomially bounded number of queries: key extraction queries, signature queries and confirmation/denial queries of the same kind as those of the previous definition.
3. After a first series of queries,  $\mathcal{D}$  asks for a challenge: it produces a pair  $(M, ID)$  made of a message and an identity for which the associated private key was not asked in step 2. The challenger then flips a coin  $b \leftarrow_R \{0, 1\}$ . If  $b = 0$ , the challenger sends  $\mathcal{D}$  a valid signature  $\sigma$  on  $M$  for the identity  $ID$ . Otherwise,  $\mathcal{D}$  receives from the challenger a random element  $\sigma \leftarrow_R \mathcal{S}$  taken at random from the signature space  $\mathcal{S}$ .
4. The distinguisher  $\mathcal{D}$  then performs a second series of queries. This time, it is not allowed to perform a confirmation/denial query for the challenge  $(\sigma, M, ID)$  nor to ask the private key associated to  $ID$ .
5. At the end of the game,  $\mathcal{D}$  outputs a bit  $b'$  (that is 0 if  $\mathcal{D}$  finds that  $(\sigma, M, ID)$  is a valid message-signature-identity tuple and 1 otherwise) and wins the game if  $b = b'$ .

$\mathcal{D}$ 's advantage in this game is defined to be  $\text{Adv}^{inv}(\mathcal{D}) := 2\Pr[b = b'] - 1$ . where the probability is taken over the coin flippings of the distinguisher  $\mathcal{D}$  and the challenger.

Similarly to what is done in [20], we also consider the notion of anonymity. This notion is slightly strengthened in the identity based setting

**Definition 4.** We say that an identity based undeniable signature scheme satisfies the **anonymity** property if no probabilistic polynomial time distinguisher  $\mathcal{D}$  has a non-negligible advantage in the following game:

1. The challenger performs the setup of the scheme and sends the system's public parameters to  $\mathcal{D}$ .
2. The distinguisher  $\mathcal{D}$  performs a polynomially bounded number of queries: key extraction queries, signature queries and confirmation/denial queries of the same kind as those of definition 2.
3. After a first series of queries,  $\mathcal{D}$  requests a challenge: it produces a message  $M$  and a pair of identities  $ID_0, ID_1$  for which it did not ask the associated private keys in the first stage. The challenger then flips a coin  $b \leftarrow_R \{0, 1\}$  and computes the signature  $\sigma$  on  $M$  with the private key associated to  $ID_b$ .  $\sigma$  is sent as a challenge to  $\mathcal{D}$ .
4.  $\mathcal{D}$  performs another series of queries. This time, it is not allowed to perform a confirmation or denial query for the challenge  $\sigma$  on identities  $ID_0, ID_1$  nor to request the private key associated to these identities.

At the end of the game,  $\mathcal{D}$  outputs a bit  $b'$  for which it finds that  $\sigma$  is a valid signature on  $M$  for the identity  $ID_{b'}$ . It wins the game if  $b' = b$ . Its advantage is defined as the previous definition.

It is shown in [20] that the notions of invisibility and anonymity are essentially equivalent for undeniable and confirmer signature schemes satisfying some particular properties. It is straightforward (by using the techniques of [20]) to show that this equivalence also holds in the identity based setting. In the next section, we describe an example of identity based undeniable signature and we show its existential unforgeability and its invisibility in the random oracle model.

### 3 An identity based undeniable signature

Our ID-based undeniable signature scheme is made of the following algorithms.

**Setup:** given security parameters  $k$  and  $l$ , the PKG chooses groups  $\mathbb{G}_1$  and  $\mathbb{G}_2$  of prime order  $q > 2^k$ , a generator  $P$  of  $\mathbb{G}_1$ , a bilinear map  $\hat{e} : \mathbb{G}_1 \times \mathbb{G}_1 \rightarrow \mathbb{G}_2$  and hash functions  $H_1 : \{0, 1\}^* \rightarrow \mathbb{G}_1$ ,  $H_2 : \{0, 1\}^* \times \{0, 1\}^l \times \{0, 1\}^* \rightarrow \mathbb{G}_1$ ,  $H_3 : \mathbb{G}_2^3 \rightarrow \mathbb{Z}_q$  and  $H_4 : \mathbb{G}_2^4 \rightarrow \mathbb{Z}_q$ . It chooses a master secret  $s \leftarrow_R \mathbb{Z}_q$  and computes  $P_{pub} = sP \in \mathbb{G}_1$  that is made public. The system's public parameters are

$$\text{params} := \{q, \mathbb{G}_1, \mathbb{G}_2, \hat{e}, P, P_{pub}, H_1, H_2, H_3, H_4\}.$$

**Keygen:** given an identity  $ID$ , the PKG computes  $Q_{ID} = H_1(ID) \in \mathbb{G}_1$  and the associated private key  $d_{ID} = sQ_{ID} \in \mathbb{G}_1$  that is transmitted to the user.

**Sign:** to sign a message  $M \in \{0, 1\}^*$ , the signer Alice uses the private key  $d_{ID_A}$  associated to her identity  $ID_A$ .

1. She picks a random string  $r \leftarrow_R \{0, 1\}^l$  to compute  $H_2(M, r, ID_A) \in \mathbb{G}_1$ .
2. She then computes  $\gamma = \hat{e}(H_2(M, r, ID_A), d_{ID_A}) \in \mathbb{G}_2$ . The signature on  $M$  is given by

$$\sigma = (r, \gamma) = (r, \hat{e}(H_2(M, r, ID_A), d_{ID_A})) \in \{0, 1\}^l \times \mathbb{G}_2.$$

**Confirm:** to verify a signature  $\sigma$  on a message  $M$ , a verifier of identity  $ID_B$  needs the help of the signer Alice. He sends her the pair  $(M, \sigma)$ , where  $\sigma = \langle r, \gamma \rangle \in \{0, 1\}^l \times \mathbb{G}_2$  is the alleged signature. Alice then runs the following confirmation protocol to produce a non-interactive designated-verifier proof that  $\sigma$  is a valid signature on  $M$  for her identity  $ID_A$ :

- a. She first computes  $Q_{ID_B} = H_1(ID_B)$ .
- b. She picks  $U, R \leftarrow_R \mathbb{G}_1$  and  $v \leftarrow_R \mathbb{Z}_q$  and computes

$$c = \hat{e}(P, U)\hat{e}(P_{pub}, Q_{ID_B})^v \in \mathbb{G}_2$$

$$g_1 = \hat{e}(P, R) \in \mathbb{G}_2 \text{ and } g_2 = \hat{e}(H_2(M, r, ID_A), R) \in \mathbb{G}_2.$$

- c. She takes the hash value  $h = H_3(c, g_1, g_2) \in \mathbb{Z}_q$ .
- d. She computes  $S = R + (h + v)d_{ID_A}$ .

The proof is made of  $(U, v, h, S)$ . To check its validity, the verifier first computes  $c' = \hat{e}(P, U)\hat{e}(P_{pub}, Q_{ID_B})^v$ ,  $g'_1 = \hat{e}(P, S)\hat{e}(P_{pub}, Q_{ID_A})^{h+v}$  and  $g'_2 = \hat{e}(H_2(M, r, ID_A), S)\gamma^{h+v}$  and accepts if and only if  $h = H_3(c', g'_1, g'_2)$ .

**Deny:** in order to convince a designated verifier of identity  $ID_B$  that a given signature  $\sigma = \langle r, \gamma \rangle$  on a message  $M$  is not valid for her identity  $ID_A$ ,

- a. Alice computes  $Q_{ID_B} = H_1(ID_B) \in \mathbb{G}_1$  and picks random  $U \leftarrow_R \mathbb{G}_1$ ,  $v \leftarrow_R \mathbb{Z}_q$  to compute  $c = \hat{e}(P, U)\hat{e}(P_{pub}, Q_{ID_B})^v$ .
- b. She computes a commitment  $C = \left(\frac{\hat{e}(H_2(M, r, ID_A), d_{ID_A})}{\gamma}\right)^\omega$  for a randomly chosen  $\omega \leftarrow_R \mathbb{Z}_q$ .
- c. She proves in a zero-knowledge way that she knows a pair  $(R, \alpha) \in \mathbb{G}_1 \times \mathbb{Z}_q$  such that

$$C = \frac{\hat{e}(H_2(M, r, ID_A), R)}{\gamma^\alpha} \text{ and } 1 = \frac{\hat{e}(P, R)}{\hat{e}(P_{pub}, Q_{ID_A})^\alpha} \quad (1)$$

To do this,

1. She picks  $V \leftarrow_R \mathbb{G}_1$ ,  $v \leftarrow_R \mathbb{Z}_q$  to compute

$$\rho_1 = \hat{e}(H_2(M, r, ID_A), V)\gamma^{-v} \in \mathbb{G}_2 \text{ and } \rho_2 = \hat{e}(P, V)y^{-v} \in \mathbb{G}_2$$

where  $y = \hat{e}(P_{pub}, Q_{ID_A})$ .

2. She computes  $h = H_4(C, c, \rho_1, \rho_2) \in \mathbb{Z}_q$ .
3. She computes  $S = V + (h + v)R \in \mathbb{G}_1$  and  $s = v + (h + v)\alpha \in \mathbb{Z}_q$ .

The proof is made of  $(C, U, v, h, S, s)$ . It can be verified by the verifier of identity  $ID_B$  who rejects the proof if  $C = 1$  and otherwise computes  $c' = \hat{e}(P, U)\hat{e}(P_{pub}, Q_{ID_B})^v$ ,  $\rho'_1 = \hat{e}(H_2(M, r, ID_A), S)\gamma^{-s}C^{-(h+v)}$  and  $\rho'_2 = \hat{e}(P, S)y^{-s}$  where  $y = \hat{e}(P_{pub}, Q_{ID_A})$ . The verifier accepts the proof if and only if  $h = H_4(C, c', \rho'_1, \rho'_2)$ .

The confirmation protocol is inspired from a designated verifier proof ([26]) proposed by Jakobsson, Sako and Impagliazzo that allows a prover to convince a designated verifier of the equality of two discrete logarithms. The denial protocol is an adaptation of a protocol proposed by Camenisch and Shoup ([8]) to prove the inequality of two discrete logarithms. Both adaptations are non-transferable proofs of respectively equality and inequality of two inverses of the group isomorphisms  $f_Q : \mathbb{G}_1 \rightarrow \mathbb{G}_2, Q \rightarrow f_Q(U) = \hat{e}(Q, U)$  with  $Q = P$  and  $Q = H_2(M, r, ID_A)$ . In an execution of the confirmation protocol, the verifier  $B$  takes the signature as valid if he is convinced that  $f_P(d_{ID_A}) = \hat{e}(P_{pub}, Q_{ID_A})$  and  $\gamma$  have equal pre-images for isomorphisms  $f_P(\cdot) = \hat{e}(P, \cdot)$  and  $f_{H_2(M, r, ID_A)}(\cdot) = \hat{e}(H_2(M, r, ID_A), \cdot)$ . In the denial protocol, he takes the signature as invalid on  $M$  for identity  $ID_A$  if he is convinced that these inverses differ.

**Completeness and soundness of the confirmation protocol:** it is easy to see that a correct proof is always accepted by the verifier  $B$ : if  $(U, v, h, S)$  is correctly computed by the prover, we have  $\hat{e}(P, S) = \hat{e}(P, R)\hat{e}(P, d_{ID_A})^{h+v}$  and  $\hat{e}(P, d_{ID_A}) = \hat{e}(P_{pub}, Q_{ID_A})$ . We also have

$$\hat{e}(H_2(M, r, ID_A), S) = \hat{e}(H_2(M, r, ID_A), S)\hat{e}(H_2(M, r, ID_A), d_{ID_A})^{h+v}.$$

To show the soundness, we notice that if a prover is able to provide two correct answers  $S_1, S_2$  for the same commitment  $(c, g_1, g_2)$  and two different challenges  $h_1$  and  $h_2$ , we then have  $\hat{e}(P, (h_1 - h_2)^{-1}(S_1 - S_2)) = \hat{e}(P_{pub}, Q_{ID_A})$  and  $\hat{e}(H_2(M, r, ID_A), (h_1 - h_2)^{-1}(S_1 - S_2)) = \gamma$ . This shows that both inverses of  $f_P^{-1}(\hat{e}(P_{pub}, Q_{ID_A}))$  and  $f_{H_2(M, r, ID_A)}^{-1}(\gamma)$  are equal.

**Completeness and soundness of the denial protocol:** one easily checks that a honest prover is always accepted by the designated verifier. To prove the soundness, one notices that if the prover is able to provide a proof of knowledge of a pair  $(R, \alpha)$  satisfying equations (1), then the second of these equations implies  $R = \alpha f_P^{-1}(y)$  with  $y = \hat{e}(P_{pub}, Q_{ID_A})$  by the bilinearity of the map. If we substitute this relation into the first equation of (1), it comes that

$$C = \left( \frac{\hat{e}(H_2(M, r, ID_A), f_P^{-1}(y))}{\gamma} \right)^\alpha.$$

Since the verifier checks that  $C \neq 1$ , it comes that  $\hat{e}(H_2(M, r, ID_A), f_P^{-1}(y)) \neq \gamma$  and the signature  $\gamma$  is actually invalid. The soundness of the proof of knowledge in step c is easy to verify.

**Non-transferability:** in order for the proofs to be non-transferable, both protocols need a trapdoor commitment  $\text{Commit}(U, v) = \hat{e}(P, U)\hat{e}(P_{pub}, Q_{ID_B})^v$  that allows the owner of the private key  $d_{ID_B}$  to compute commitment collisions: indeed, given a tuple  $(U, v, \text{Commit}(U, v))$ ,  $B$  can easily use  $d_{ID_B}$  to find a pair  $(U', v')$  such that  $\text{Commit}(U, v) = \text{Commit}(U', v')$ . This is essential for the proof to be non-transferable: the verifier  $B$  cannot convince a third party of the validity or of the invalidity of a signature since his knowledge of the private key  $d_{ID_B}$  allows him to produce such a proof himself. Indeed, given a message-signature pair  $(M, \sigma)$ , with  $\sigma = \langle r, \gamma \rangle \in \{0, 1\}^l \times \mathbb{G}_2$ ,  $B$  can choose  $S \leftarrow_R \mathbb{G}_1$ ,  $x \leftarrow_R \mathbb{Z}_q$  and  $U' \leftarrow_R \mathbb{G}_1$  to compute  $c = \hat{e}(P, U')$ ,  $g_1 = \hat{e}(P, S)\hat{e}(P_{pub}, Q_{ID_A})^x$ ,  $g_2 = \hat{e}(H_2(M, r, ID_A), S)\gamma^x$  and  $c = H_3(c, g_1, g_2)$ . He can then compute  $v = x - h \bmod q$  and  $U = U' - vd_{ID_B} \in \mathbb{G}_1$  where  $d_{ID_B}$  is the verifier's private key.  $(U, v, h, S)$  is thus a valid proof built by the verifier with the trapdoor  $d_{ID_B}$ . This trapdoor also allows him to produce a false proof of a given signature's invalidity using the same technique with the denial protocol.

**Efficiency considerations:** From an efficiency point of view, the signature generation algorithm requires one pairing evaluation as a most expensive operation. The confirmation and denial protocols are more expensive: the first one requires 4 pairing evaluations (3 if  $\hat{e}(P_{pub}, Q_{ID_B})$  is cached in memory: this can be done if the verifier often performs verification queries), one exponentiation in  $\mathbb{G}_2$  and one computation of the type  $\lambda_1 P + \lambda_2 Q$  in  $\mathbb{G}_1$ . The verifier needs to compute 3 pairings (2 if  $\hat{e}(P_{pub}, Q_{ID_A})$  is cached), 3 exponentiations and 3 multiplications in  $\mathbb{G}_2$ . In the denial protocol, the prover must compute 5 pairings (4 if  $\hat{e}(P_{pub}, Q_{ID_B})$  is cached), 4 exponentiations and 4 multiplications in  $\mathbb{G}_2$ , one computation of the type  $\lambda_1 P + \lambda_2 Q$  and some extra arithmetic operations in  $\mathbb{Z}_q$ . The verifier must compute 4 pairings (3 if  $\hat{e}(P_{pub}, Q_{ID_B})$  is cached), 2 exponentiations, 1 multi-exponentiation and 3 multiplications in  $\mathbb{G}_2$ . To improve the efficiency of the confirmation and denial algorithms, one can speed up the computation of commitments. Indeed, the prover can pre-compute  $\hat{e}(P, P)$  once and for all. To generate a commitment in an execution of the confirmation protocol, he then picks  $u, v, x \leftarrow_R \mathbb{Z}_q$  and computes  $c = \hat{e}(P, P)^u \hat{e}(P_{pub}, Q_{ID_B})^v$ ,  $R = xP$   $g_1 = \hat{e}(P, P)^x$ ,  $g_2 = \hat{e}(H_2(M, r, ID_A), R)$ . The answer to the challenge  $h$  must then be computed as  $S = R + (h + v)d_{ID_A}$  and the proof is made of  $(u, v, h, S)$ . This technique can also be applied to the denial protocol. It allows replacing 2 pairing evaluations by 2 scalar multiplications, a exponentiation and a multi-exponentiation in  $\mathbb{G}_2$  (to compute  $c$ ). A single pairing evaluation is then required for the prover at each run of the confirmation and denial protocols.

Globally, it turns out that a signature verification is more expensive than a signature generation even if a pre-computation is performed. Our ID-based undeniable signature solution is nevertheless reasonable.

If we consider the length of signatures, the binary representation of a pairing is about 1000 bits long (1024 if we use the same curve as in [4]) while the length  $l$  of the binary string can be of the order of 100 bits. This provides us with signatures of about 1100 bits. This is roughly one half of the size of the RSA-based undeniable signature proposed in [20] for 1024-bit moduli. If we com-

pare our scheme with the original undeniable signature proposed by Chaum and van Heijst and proven secure by Okamoto and Pointcheval ([31]), both lengths are similar if the Chaum-van Heijst scheme is used over a group like  $\mathbb{Z}_p$  with  $|p| = 1000$  (this is no longer true if this scheme is used over a suitable elliptic curve). However, it remains an open problem to devise identity based undeniable signature schemes with shorter signatures than ours.

**Convertible signatures** It is really easy to notice that issued signatures can be selectively turned into universally verifiable signatures by the signer. In order to convert a genuine signature  $\sigma = \langle r, \hat{e}(H_2(M, r, ID_A), d_{ID_A}) \rangle$ , the signer Alice just has to take a random  $x \leftarrow_R \mathbb{Z}_q$  and compute  $R = xP$ ,  $g_1 = \hat{e}(P, P)^x$ ,  $g_2 = \hat{e}(H_2(M, r, ID_A), R)$ , the hash value  $h = H(g_1, g_2)$  and the answer  $S = R + hd_{ID_A}$ . The proof, given by  $(h, S) \in \mathbb{Z}_q \times \mathbb{G}_1$ , is easily universally verifiable by a method similar to the verification in the confirmation protocol. Alice can also give a universally verifiable proof that a given signature is invalid for her identity by using the non-designated verifier counterpart of the denial protocol.

**Removing key escrow** In order to prevent a dishonest PKG from issuing a signature on behalf of a user and from compromising the invisibility and anonymity properties, one can easily use the generic transformation proposed by Al-Riyami and Paterson ([1]) to turn the scheme into a certificateless undeniable signature. Unfortunately, the advantage of easy key management is lost since the resulting scheme no longer supports human-memorizable public keys. On the other hand, key escrow, which is often an undesirable feature in signature schemes, is then removed as well as the need for public key certificates.

## 4 Security proofs for the ID-based undeniable signature

The following theorem claims the scheme's existential unforgeability under adaptive chosen-message attacks.

**Theorem 1.** *In the random oracle model, if there exists an adversary  $\mathcal{F}$  that is able to succeed in an existential forgery against the identity based undeniable signature scheme described in the previous section with an advantage  $\epsilon$  within a time  $t$  and when performing  $q_E$  key extraction queries,  $q_S$  signature queries,  $q_{CD}$  confirmation/denial queries and  $q_{H_i}$  queries on hash oracles  $H_i$ , for  $i = 1, \dots, 4$ , then there exists an algorithm  $\mathcal{B}$  that is able to solve the Bilinear Diffie-Hellman problem with an advantage*

$$\epsilon' \geq \frac{\epsilon - (2q_{H_3} + q_{CD} + 1)/2^k}{e^2(q_E + 1)(q_{CD} + 1)}$$

*in a time  $t' \leq t + 6\mathcal{T}_p + (q_E + q_{H_1} + q_{H_2})\mathcal{T}_m + (q_S + q_{CD})\mathcal{T}_e + 2q_{CD}\mathcal{T}_{me}$  where  $\mathcal{T}_p$  denotes the time required for a pairing evaluation,  $\mathcal{T}_m$  is the time to perform a multiplication in  $\mathbb{G}_1$ ,  $\mathcal{T}_e$  is the time to perform an exponentiation in  $\mathbb{G}_2$ ,  $\mathcal{T}_{me}$  the time for a multi-exponentiation in  $\mathbb{G}_2$  and  $e$  is the base for the natural logarithm.*

**Proof.** given in the full paper ([28]). □

In order for the proof to hold, we must have  $q_{H_2} \ll 2^l$ , where  $l$  is the size of the random salt  $r$ . We then take  $l = 100$ . We note that the reduction is not really efficient: if we take  $q_E \approx q_{CD} \leq 2^{30}$  and  $q_{H_3} < 2^{80}$ , we then have  $(2q_{H_3} + q_{CD} + 1)2^{-k} \approx 1.65 \times 10^{-64}$ . If we assume  $\epsilon - (2q_{H_3} + q_{CD} + 1)2^{-k} > \epsilon/2$ , we obtain the bound  $\epsilon' > \epsilon/2^{64}$ . However, we have a proof with a tighter bound if the underlying assumption is the hardness of the Gap Bilinear Diffie-Hellman problem. The use of a DBDH oracle allows algorithm  $\mathcal{B}$  to perfectly simulate the confirmation/denial protocols. The advantage of algorithm  $\mathcal{B}$  is then

$$\epsilon' \geq \frac{\epsilon - (2q_{H_3} + q_{CD} + 1)2^{-k}}{e(q_E + 1)} > \epsilon/2^{32}.$$

We note that using the techniques of Katz and Wang ([27]) easily allows replacing the random salt  $r$  by a single bit and then obtaining signatures that are about 100 bits shorter without losing security guarantees.

The theorem below claims the scheme's invisibility in the sense of Galbraith and Mao (see [20]) under the Decisional Bilinear Diffie-Hellman assumption.

**Theorem 2.** *In the random oracle model, the identity based undeniable signature presented in section 3 satisfies the invisibility property provided the Decisional Bilinear Diffie-Hellman problem is hard. More formally, if we assume that no algorithm is able to forge a signature in the game of definition 2 with a non-negligible probability and if a distinguisher  $\mathcal{D}$  is able to distinguish valid signature from invalid ones for a messages and an identity of its choice with a non-negligible advantage  $\epsilon$  after having asked  $q_E$  key extraction queries, then there exists a distinguisher  $\mathcal{B}$  that has an advantage  $\epsilon' \geq \frac{\epsilon}{e(q_E+1)}$  for the DBDH problem within a running time bounded as in theorem 1.*

**Proof.** given in the full paper ([28]). □

It is possible to directly show that the scheme also satisfies the anonymity property in the random oracle model under the Decisional Bilinear Diffie-Hellman assumption. However, since anonymity and invisibility are essentially equivalent, the anonymity of our signature derives from its invisibility property.

## 5 Another application

Our construction provides an application of independent interest which is the possibility to design an identity based signature with a 'tighter' security proof than all other existing provably secure identity based signatures ([9],[17],[23],[25]) for which the security proofs make use of the forking lemma ([34],[35]): indeed by concatenating a signature produced by the undeniable scheme with a non-designated verifier proof of its validity (using the non-designated verifier counterpart of the confirmation protocol), we obtain a universally verifiable identity based signature for which the security is the most tightly related to some hard computational problem. Recall that all existing identity based signatures have a

security proof built on the forking lemma of Pointcheval and Stern that involves a degradation in security during the reduction as pointed out in [22]: if  $q_H$  denotes the number of message hash queries and  $t$  the forger's running time, then the upper bound on the average running time to solve the problem is  $q_H t$  (if we assume  $q_H < 2^{80}$ , this makes a great degradation for the bound on the running time). This new ID-based signature may be viewed as an adaptation of the signature recently proposed by Goh and Jarecki ([22]). It is less efficient than all the other ones but is more tightly related to some computational assumption than those in ([9],[25]), which are only loosely related to the computational Diffie-Hellman problem, or the scheme in ([23]) that has a security loosely related to the RSA assumption. As for the proof of unforgeability of the undeniable signature under the Gap Bilinear Diffie-Hellman assumption, one can show that, if the forger's advantage is  $\epsilon$ , then the average time to solve the BDH problem is smaller than  $2^{32}t/\epsilon$  where  $t$  is the running time of the forger. The corresponding bound for the identity based signature described in [25] is roughly  $2^{146}t/\epsilon$  if  $2^{30}$  identity hash queries and  $2^{80}$  message hash queries<sup>3</sup> are allowed to the attacker.

## 6 Conclusions

We showed in this paper a first construction for a provably secure identity based undeniable signature and we extended the panel of primitives for identity based cryptography ([1]). A proof of existential unforgeability under the Bilinear Diffie-Hellman assumption is given in the full paper ([28]). We pointed out that a 'tighter' proof can be made under the Gap Bilinear Diffie-Hellman assumption. We also extended the notions of invisibility and anonymity of Galbraith and Mao ([20]) to the identity based setting and we proved the invisibility of our scheme in the random oracle model under the Decisional Bilinear Diffie-Hellman assumption.

As a side effect, our construction allows the design of an identity based signature scheme with a security more tightly related to the hardness of some hard problem than any other existing provably secure identity based signature.

## References

1. S.-S. Al-Riyami, K.G. Paterson, *Certificateless Public Key Cryptography*, Advances in Cryptology - Asiacrypt'03, LNCS Series, 2003.
2. P.-S.-L.-M. Barreto, H.-Y. Kim, *Fast hashing onto elliptic curves over fields of characteristic 3*, eprint available at <http://eprint.iacr.org/2001/098/>.
3. M. Bellare, P. Rogaway, *Random oracles are practical: A paradigm for designing efficient protocols*, Proc. of the 1<sup>st</sup> ACM Conference on Computer and Communications Security, pp. 62-73, 1993.
4. D. Boneh, M. Franklin, *Identity Based Encryption From the Weil Pairing*, Advances in Cryptology - Crypto'01, LNCS 2139, Springer-Verlag, pp. 213-229, 2001.
5. D. Boneh, B. Lynn, H. Shacham, *Short signatures from the Weil pairing*, Advances in Cryptology - Asiacrypt'01, LNCS 2248, Springer-Verlag, pp. 514-532, 2001.

<sup>3</sup> Hashing onto a finite field may be viewed as an operation of unit cost while hashing onto an elliptic curve requires some extra computation as explained in [2].

6. J. Boyar, D. Chaum, I. Damgård, T. Pedersen, *Convertible undeniable signatures*, Advances in Cryptology - Crypto'90, LNCS 0537, Springer-Verlag, pp. 189-208, 1990.
7. X. Boyen, *Multipurpose Identity-Based Signcryption. A Swiss Army Knife for Identity-Based Cryptography*, Advances in Cryptology - Crypto'03, LNCS 2729, Springer-Verlag, pp. 383-399, 2003.
8. J. Camenisch, V. Shoup, *Practical Verifiable Encryption and Decryption of Discrete Logarithms*, Advances in Cryptology - Crypto'03, LNCS 2729, Springer-Verlag, pp. 126-144, 2003.
9. J.C. Cha, J.H. Cheon, *An Identity-Based Signature from Gap Diffie-Hellman Groups*, proceedings of PKC 2003. Springer-Verlag, LNCS 2567, pp. 18-30, Springer-Verlag, 2003.
10. D. Chaum, H. van Antwerpen, *Undeniable signatures*, Advances in Cryptology - Crypto'89, LNCS 0435, Springer-Verlag, pp. 212-216, 1989.
11. D. Chaum, *Zero-knowledge undeniable signatures*, Advances in Cryptology - Crypto'90, LNCS 0473, Springer-Verlag, pp. 458-464, 1990.
12. D. Chaum, E. van Heijst, B. Pfitzmann, *Cryptographically strong undeniable signatures, unconditionally secure for the signer*, Advances in Cryptology - Crypto'91, LNCS 0576, Springer-Verlag, pp. 470-484, 1991.
13. J.H. Cheon, D. H. Lee, *Diffie-Hellman Problems and Bilinear Maps*, eprint available at <http://eprint.iacr.org/2002/117/>.
14. C. Cocks, *An Identity Based Encryption Scheme Based on Quadratic Residues*, Proc. of Cryptography and Coding, LNCS 2260, Springer-Verlag, pp. 360-363, 2001.
15. R. Dupont, A. Enge, *Practical Non-Interactive Key Distribution Based on Pairings*, available at <http://eprint.iacr.org/2002/136>.
16. I. Damgård, T. Pedersen, *New convertible undeniable signature schemes*, Advances in Cryptology - Eurocrypt'96, LNCS 1070, pp. 372-386, Springer-Verlag, 1996.
17. A. Fiat, A. Shamir, *How to Prove Yourself: Practical Solutions to Identification and Signature Problems*, Advances in Cryptology - Crypto'86, LNCS 0263, Springer-Verlag, pp. 186-194, 1986.
18. A. Fujioka, T. Okamoto, K. Ohta, *Interactive Bi-Proof Systems and undeniable signature schemes*, Advances in Cryptology - Eurocrypt'91, LNCS 0547, pp. 243-256, Springer-Verlag, 1991.
19. S. Galbraith, W. Mao, K.G. Paterson, *RSA-based undeniable signatures for general moduli*, Topics in Cryptology - CT-RSA 2002, LNCS 2271, pp. 200-217, Springer-Verlag, 2002.
20. S. Galbraith, W. Mao, *Invisibility and Anonymity of Undeniable and Confirmer Signatures.*, Topics in Cryptology - CT-RSA 2003, LNCS 2612, pp. 80-97, Springer-Verlag, 2003.
21. R. Gennaro, H. Krawczyk, T. Rabin, *RSA-based undeniable signatures*, Advances in Cryptology - Crypto'97, LNCS 1294, Springer-Verlag, pp. 132-149, 1997.
22. E.-J. Goh, S. Jarecki, *A Signature Scheme as Secure as the Diffie-Hellman Problem*, Advances in Cryptology - Eurocrypt'03, LNCS 2656, Springer-Verlag, pp. 401-415, 2003.
23. L. Guillou, J.-J. Quisquater, *A "Paradoxical" Identity-Based Signature Scheme Resulting From Zero-Knowledge*, Advances in Cryptology - Crypto'88, LNCS 0403, Springer-Verlag, pp. 216-231, 1988.
24. S. Han, K.Y. Yeung, J. Wang, *Identity based confirmer signatures from pairings over elliptic curves*, proceedings of ACM conference on Electronic commerce, pp. 262-263, 2003.

25. F. Hess, *Efficient identity based signature schemes based on pairings*, proceedings of SAC'02. LNCS 2595, pp. 310-324, Springer-Verlag, 2002.
26. M. Jakobsson, K. Sako, R. Impagliazzo, *Designated Verifier Proofs and Their Applications*, Advances in Cryptology - Eurocrypt'96, LNCS 1070, Springer-Verlag, pp. 143-154, 1996.
27. J. Katz, N. Wang, *Efficiency Improvements for Signature Schemes with Tight Security Reductions*, to appear at ACM Conference on Computer and Communications Security 2003.
28. B. Libert, J.-J. Quisquater, *Identity Based Undeniable Signatures*, extended version, eprint available at <http://eprint.iacr.org/2003/206>.
29. M. Michels, M. Stadler, *Efficient Convertible Undeniable Signature Schemes*. Proc. of 4th Annual Workshop on Selected Areas in Cryptography, SAC'97, August, 1997.
30. T. Okamoto, *Designated Confirmer Signatures and Public Key Encryption are Equivalent*, Advances in Cryptology - Crypto'94, LNCS 839, Springer-Verlag, pp. 61-74, 1994.
31. T. Okamoto, D. Pointcheval *The Gap-Problems: A New Class of Problems for the Security of Cryptographic Schemes*, Proc. of of PKC'01, LNCS 1992, Springer-Verlag, pp.104-118, 2001.
32. K.G. Paterson, *ID-based signatures from pairings on elliptic curves*, eprint available at <http://eprint.iacr.org/2002/004/>.
33. D. Pointcheval, *Self-Scrambling Anonymizers*, Proceedings of Financial Cryptography 2002, LNCS 1962, Springer-Verlag, pp. 259-275, 2001.
34. D. Pointcheval, J. Stern, *Security proofs for signature schemes*, Advances in Cryptology - Eurocrypt'96, LNCS 1070, Springer-Verlag, pp. 387-398, 1996.
35. D. Pointcheval, J. Stern, *Security arguments for digital signatures and blind signatures*, Journal of Cryptology, vol. 13-Number 3, pp. 361-396, 2000.
36. R. Sakai, K. Ohgishi, M. Kasahara, *Cryptosystems based on pairing*, In The 2000 Symposium on Cryptography and Information Security.
37. A. Shamir, *Identity Based Cryptosystems and Signature Schemes*, Advances in Cryptology - Crypto' 84, LNCS 0196, Springer-Verlag, 1984.
38. N.P. Smart, *An identity based authenticated key agreement protocol based on the Weil pairing*, Electronic Letters, 38(13): 630-632, 2002.
39. F. Zhang, K. Kim, *ID-Based Blind Signature and Ring Signature from Pairings*. Advances in Cryptology - Asiacrypt'02, LNCS 2501, Springer-Verlag, 2002.
40. F. Zhang, R. Safavi-Naini, W. Susilo, *Attack on Han et al.'s ID-based Confirmer (Undeniable) Signature at ACM-EC'03*, eprint available at <http://eprint.iacr.org/2003/129/>.